



ANTRIEBSELEMENTE

Motors slides Steel design




If performance is required

www.luetgert-antriebe.de

MOTOR SLIDES

STEEL | MONOPLATE



motor size	dimensions [mm]																
	L	B	C	E ₁	E ₂	E ₃	G	H	J	K ₁	K ₂	M	N	P	R	SW	S
63 - 90	270	194	33	100	125	140	190	25	25	50	50	10,5	33	98	200	19	3
90 - 112	307	213	33	140	160	190	255	32,5	28	50	50	10,5	62	108	20	19	3
100 - 132	340	290	40	160	190	216	286	35	28	63	47,5	12,5	120	165	25	22	4
100 - 132	430	290	40	160	190	216	286	35	28	63	47,5	12,5	120	165	25	22	4
160 - 180	430	370	40	-	254	279	379	50	30	62	62	12,5	163	248	25	22	4
160 - 180	490	370	40	-	254	279	379	50	30	62	62	12,5	163	248	25	22	4
180 - 200	490	410	40	-	279	318	420	50	30	60	52	17	225	285	25	22	4
200 - 225	585	450	50	-	318	356	468	56	30	60	52	17	248	300	25	22	5
250	600	470	65	-	-	406	515	54,5	30	60	70	22	229	320	25	28	5
280	735	570	65	-	-	457	585	64	30	70	70	22	320	420	25	28	5



MOTOR SLIDES

STEEL | MONOPLATE

Slideway V_{min}


size	motor size												weight kg	
	63	80	90	100	112	132	160	180	200	225	250	280		
270	80	80	80											3,1
307			52	52	52									4,1
340				54	54	54								7,9
430				144	144	144								8,9
430							51	51						12,0
490							111	111						12,7
490								70	70					14,6
585									117	117				23,7
600											85			28,1
735												150		38,2

- For all common motor sizes
- Easy to install, time-saving
- Optimum and quick adjustability, flexible use
- Corrosion protection by cathodic dip painting (KTL)
- Also available in galvanised version
- Weight-optimised design
- Ideal solution for light drives
- For heavy drives Clamping rails made of EN-GJL 200



MOTOR SLIDES

STEEL | DUOPLATE WITH DIVIDED PLATE



motor size	dimensions [mm]													
	L	B	C	M _{min}	G	E	J	K	M	N	R	P	SW	S
63 - 80	210	195	33	100	70	20	25	50	10,5	43	30	98	19	3
63 - 90	270	195	33	100	70	20	25	50	10,5	43	30	98	19	3
90 - 132	340	290	40	140	95	27	29	62,5	12,5	90	30	165	22	4
90 - 160	430	290	40	140	95	27	29	62,5	12,5	90	30	165	22	4
160 - 180	490	410	40	110	95	40	30	60	15	193	30	284	22	4

Slideway V_{min}

size	motor size									weight kg
	63	71	80	90	100	112	132	160	180	
210	70	58	45							2,3
270	130	118	105	90						2,7
340				146	126	96	70			6,3
430				236	216	186	160	122		7,4
490							156	131		11,7



PRODUCT OVERVIEW

EXCERPT

Drive pulleys

V-belt pulleys | V-belt pulleys | Flywheels | Grid pulleys | Timing belt pulleys | Rubberized Pulleys | Split pulleys | Aluminium pulley



Supplies for drive belts

TaperLock clamping bushes | Motor mounting systems | V-belts / Drive belts | V-belt metrology | Rubber suspension units
Oscillating mountings | Tensioner devices | Foundation blocks | Shafts and rolls



More information desired?

www.luetgert-antriebe.de



Lütgert & Co. GmbH
Friedrichsdorfer Straße 48
33335 Gütersloh | Germany

Phone: 05241 7407-0
vertrieb@luetgert-antriebe.de
www.luetgert-antriebe.de

MADE IN GERMANY